

0A68RP000 Technical Specification

Category 6 180 Degree UTP Keystone Jack Rev. 171117

Liberty's 0A68RP000 Keystone compliant Category 6 jack is a fully compliant component of any data networking link. The unit is a 180 degree format, the cable exits straight out the back of the unit. This fits any keystone compliant port on a plate or panel. This unit features a 750 mating minimum lifecycle and 50μ inch gold plating on the contacts.

The OA68RP000 features Krone/Universal 110 block IDC contacts and can be punched down with any Krone or 110 Blade. Liberty offers a special cut and crimp tool, part Number EHT040, that seats and cuts the conductors Simultaneously.

This unit is UL listed under the Communication Circuit Accessories file number E135640 under model number 0A68RP00X.




Key Features:

- UL Listed
- ANSI/TIA-568-C.2.1 Category 6
- Krone/110 Universal IDC
- Quick Crimp/Cut Tool option
- 180 Degree Format

Key Applications:

- 10/100/1000BaseT Ethernet
- Digital Multimedia patching
- Convenience Outlets
- VoIP, POTS Telecommunications
- Industrial Control patching







Technical Specifications		
I/O Connections		
Networking	Female 8P8C RJ45, Unshielded	
Infrastructure	Dual 110/Krone IDC punch down block	
Electrical Specifications		
Insulation Resistance	≥ 500MΩ	
Dielectric Withstanding Voltage	100VAC RMS 60Hz	
Contact Resistance	≤ 20mΩ	
Current Rating	1.5A @ 68°F (20°C)	
Mechanical Specification		
Plug Insertion Life	≥ 750 Mating Cycles	
Contact Force	99.2g (3.5 oz) FCC Plug	
Plug Retention Force	30 Lb (133n/13.3Kg)	
Temperature Test	-40°F to 150°F (-40°C to 66°C)	
Physical Specification		
Body Material	Polycarbonate and ABS, UL94V0	
Contact and Plating	Phosphor Bronze with 50μ" Gold Plating over contact area	
Environmental Requirements		
Operating Temperature	0° to +75° C (+32° to +167° F)	
Operating Humidity	20% to 85%, Non-condensing	
Storage Temperature	-20° to +80° C (0° to +176° F)	
Power and Regulatory		
Regulatory	Communication Circuit Accessories, UL File E135640 Model 0A68RP00X, FCC Part 68	
Performance	ANSI/TIA-568-C.2 Category 6	

Liberty Wire & Cable specifications are subject to change without notice. Contact an account representative for current product specifications. Liberty Wire & Cable continuously strives to ensure product specifications are accurate and complete. All physical specifications are nominal.

Part Matrix		
Item Number	Description	
0A68RP000-BL	Category 6 RJ45 Jack, Keystone Format 180° Blue Body	
0A68RP000-WH	Category 6 RJ45 Jack, Keystone Format 180° White Body	
EHT040	Crimp & Cut Tool for 180° Category 5E and 6 Keystone Jacks (Optional, not required)	

National Electric Code® is a registered trademark of the National Fire Protection Agency (NFPA) NEC® is a registered trademark of the National Fire Protection Agency (NFPA)

